

1. Grammar symbols: Used cross reference.

Reference of each grammar's symbol used within each rule's productions. The index uses the triple: rule name, its subrule no, and the symbol's position within the symbol string.

2. Rrule::

Rrules 1.1 Rrules 2.2

3. Rrule_def::

Rrule 1.1

4. Rrules::

Rthread_fs_calc 1.1 Rrules 2.1

5. Rsubrule::

Rsubrules 1.1 Rsubrules 2.2

6. Rsubrule_def::

Rsubrule 1.1

7. Rsubrules::

Rrule 1.2 Rsubrules 2.1

8. eog::

Rthread_fs_calc 1.2

9. rule-def::

Rrule_def 1.1

10. subrule-def::

Rsubrule_def 1.1

11. Grammar Rules's First Sets.

12. *Rthread_fs_calc # in set: 1.*
rule-def

13. *Rrules # in set: 1.*
rule-def

14. *Rrule # in set: 1.*
rule-def

15. *Rrule_def # in set: 1.*
rule-def

16. *Rsubrules # in set: 1.*
subrule-def

17. *Rsubrule # in set: 1.*
subrule-def

18. *Rsubrule_def # in set: 1.*
subrule-def

19. LR State Network.

List of productions with their derived LR state lists. Their subrule number and symbol string indicates the specific production being derived. The “▷” symbol indicates the production’s list of derived states from its closure state. Multiple lists within a production indicate 1 of 2 things:

- 1) derived string that could not be merged due to a lr(1) conflict
- 2) partially derived string merged into another derived lr states

A partially derived string is indicated by the “merged into” symbol \nearrow used as a superscript along with the merged into state number.

20. Rthread_fs_calc.

1 Rrules eog
▷ 1 3 4

21. Rrules.

1 Rrule
▷ 1 12
2 Rrules Rrule
▷ 1 3 5

22. Rrule.

1 Rrule_def Rsubrules
▷ 1 6 8
▷ 3 \nearrow 6

23. Rrule_def.

```

1 rule-def
  ▷ 1 2
  ▷ 3↗2

```

24. Rsubrules.

```

1 Rsubrule
  ▷ 6 11
2 Rsubrules Rsubrule
  ▷ 6 8 9

```

25. Rsubrule.

```

1 Rsubrule_def
  ▷ 6 10
  ▷ 8↗10

```

26. Rsubrule_def.

```

1 subrule-def
  ▷ 6 7
  ▷ 8↗7

```

27. List of reducing states.

The following legend indicates the type of reducing state.

Points 2–4 are states that must meet the lr(1) condition:

- 1) r — only 1 production reducing
- 2) r^2 — 2 or more reducing productions
- 3) s/r — shift and 1 reducing production
- 4) s/r^2 — shift and multiple reducing productions

$\subset 2^r \quad 4^r \quad 5^r \quad 7^r \quad 8^{s/r} \quad 9^r \quad 10^r \quad 11^r \quad 12^r$

28. Lr1 State's Follow sets and reducing lookahead sets.

Notes on Follow set expressions:

1) The “follow set” for rule uses its literal name and tags its grammar rule rank number as a superscript. Due to space limitations, part of the follow set information uses the rule’s literal name while the follow set expressions refers to the rule’s rank number. This $\langle \text{rule name}, \text{rule rank number} \rangle$ tuple allows you the reader to decipher the expressions. Transitions are represented by $S_x R_z$ whereby S is the LR1 state identified by its “x” subscript where other transient calculations occur within the LR1 state network. R indicates the follow set rule with the subscript “z” as its grammar rank number that contributes to the follow set.

The \nearrow^x symbol indicates that a merge into state “x” has taken place. That is, the reduced subrule that depends on this follow set finds its follow set in 2 places: its birthing state that generated the sequence up to the merged into state, and the birthing state that generated the “merged into” state. So the rule’s “follow set” calculation must also continue its calculation within the birth state generating the “x merged into” state.

State: 1 Follow Set contributors, merges, and transitions

\leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors \rightarrow
Rthread_fs_calc¹

Local follow set yield:

eolr.

\leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors \rightarrow
Rrules² $R_{2.2.1} R_{1.1.1}$

Local follow set yield:

eog, rule-def.

\leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors \rightarrow
Rrule³ $R_{2.1.1} S_1 R_2$

Local follow set yield:

\leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors \rightarrow
Rrule_def⁴ $R_{3.1.1} \nearrow^3$

Local follow set yield:

subrule-def.

State: 3 Follow Set contributors, merges, and transitions

\leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors \rightarrow
Rrule³ $R_{2.2.2} \nearrow^1 S_1 R_2$

Local follow set yield:

subrule-def.

State: 6 Follow Set contributors, merges, and transitions

\leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors \rightarrow
Rsubrules⁵ $R_{3.1.2} R_{5.2.1} S_3 R_3$

Local follow set yield:

subrule-def.

\leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors \rightarrow
Rsubrule⁶ $R_{5.1.1} S_6 R_5$

Local follow set yield:

\leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors \rightarrow
 Rsubrule_def⁷ $R_{6 \cdot 1 \cdot 1} \nearrow^8 S_6 R_6$

Local follow set yield:

State: 8 Follow Set contributors, merges, and transitions
 \leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors \rightarrow
 Rsubrule⁶ $R_{5 \cdot 2 \cdot 2} \nearrow^6 S_6 R_5$

Local follow set yield:

\leftarrow Follow set Rule $\rightarrow \leftarrow$ follow set symbols contributors \rightarrow
 Rsubrule_def⁷ $R_{6 \cdot 1 \cdot 1} S_8 R_6$

Local follow set yield:

29. Common Follow sets.

30. LA set: 1.

subrule-def.

31. LA set: 2.

eolr.

32. LA set: 3.

eog, rule-def.

33. LA set: 4.

eog, rule-def, subrule-def.

34. Index.

R₁ --- Rthread_fs_calc: 20.

R₂ --- Rrules: 21.

R₃ --- Rrule: 22.

R₄ --- Rrule_def: 23.

R₅ --- Rsubrules: 24.

R₆ --- Rsubrule: 25.

R₇ --- Rsubrule_def: 26.

Rrule: 14.

Rrule_def: 15.

Rrules: 13.

Rsubrule: 17.

Rsubrule_def: 18.

Rsubrules: 16.

Rthread_fs_calc: 12.

thread_fs_calc_idx.w

Date: October 30, 2011 at 13:50

File: thread_fs_calc_idx.w

	Section	Page
Grammar symbols: Used cross reference	1	1
Rrule:	2	1
Rrule_def:	3	1
Rrules:	4	1
Rsubrule:	5	1
Rsubrule_def:	6	1
Rsubrules:	7	1
eog:	8	1
rule-def:	9	1
subrule-def:	10	1
Grammar Rules's First Sets	11	2
<i>Rthread_fs_calc</i> # in set: 1	12	2
<i>Rrules</i> # in set: 1	13	2
<i>Rrule</i> # in set: 1	14	2
<i>Rrule_def</i> # in set: 1	15	2
<i>Rsubrules</i> # in set: 1	16	2
<i>Rsubrule</i> # in set: 1	17	2
<i>Rsubrule_def</i> # in set: 1	18	2
LR State Network	19	2
<i>Rthread_fs_calc</i>	20	2
<i>Rrules</i>	21	2
<i>Rrule</i>	22	2
<i>Rrule_def</i>	23	3
<i>Rsubrules</i>	24	3
<i>Rsubrule</i>	25	3
<i>Rsubrule_def</i>	26	3
List of reducing states	27	3
Lr1 State's Follow sets and reducing lookahead sets	28	4
Common Follow sets	29	6
LA set: 1	30	6
LA set: 2	31	6
LA set: 3	32	6
LA set: 4	33	6
Index	34	7