1. Grammar symbols: Used cross reference.

Reference of each grammar's symbol used within each rule's productions. The index uses the tripple: rule name, its subrule no, and the symbol's position within the symbol string.

2. RA:.

 $\mathrm{RE}\ 1.1\ \mathrm{RE}\ 3.2\ \mathrm{RA}\ 1.4$

3. RB:.

 $\mathrm{RE}\ 2.1\ \mathrm{RE}\ 4.2\ \mathrm{RB}\ 1.4$

4. RE:.

Rlr1_br1 1.1

5. a:.

 $\mathrm{RE}\ 1.2\ \mathrm{RE}\ 4.3$

6. b:.

 $\mathrm{RE}\ 2.2\ \mathrm{RE}\ 3.3$

7. eog:.

Rlr1_br1 1.2

8. q:.

RA 2.2 RB 2.2

9. u:.

 $\mathrm{RE}\ 3.1\ \mathrm{RE}\ 4.1$

10. x:.

RA 1.1 RA 2.1 RB 1.1 RB 2.1

11. y:.

RA 1.2 RB 1.2

12. z:.

 $\mathrm{RA}\ 1.3\ \mathrm{RB}\ 1.3$

13. Grammar Rules's First Sets.

Rlr1_br1 # in set: 2.
 x
 RE # in set: 2.
 x
 RA # in set: 1.
 RB # in set: 1.

2

 \mathbf{X}

18. LR State Network.

List of productions with their derived LR state lists. Their subrule number and symbol string indicates the specific production being derived. The ">" symbol indicates the production's list of derived states from its closured state. Multiple lists within a production indicate 1 of 2 things:

- 1) derived string that could not be merged due to a lr(1) conflict
- 2) partially derived string merged into another derived lr states

A partially derived string is indicated by the "merged into" symbol \(^{7}\)used as a superscript along with the merged into state number.

19. Rlr1_br1.

1 RE eog

▷ 1 13 14

20. RE.

 $\S 21$ 3 $lr1_br1_idx.w$ RA

21. RA.

 $1 \times y \times RA$ ▶ 1 7 9 10 11 ⊳ 2 19 21 22 23 $\triangleright 10^{\nearrow 7}$ $\triangleright 22^{\nearrow 19}$ $2 \times q$ ⊳ 1 7 8 ⊳ 2 19 20 $\triangleright 10^{\nearrow 7}$ $\triangleright 22^{\nearrow 19}$

22. RB.

 $1\ x\ y\ z\ RB$ $\triangleright 1 \quad 7 \quad 9 \quad 10 \quad 12$ ⊳ 2 19 21 22 24 $\triangleright 10^{\nearrow 7}$ $\triangleright 22^{\nearrow 19}$ $2 \times q$ ⊳ 1 7 8 ⊳ 2 19 20 $\triangleright 10^{\nearrow 7}$ $\triangleright 22^{\nearrow 19}$

List of reducing states.

The following legend indicates the type of reducing state. Points 2–4 are states that must meet the lr(1) condition:

- 1) r only 1 production reducing 2) $r^2 2$ or more reducing productions
- 3) s/r shift and 1 reducing production
- 4) s/r^2 shift and multiple reducing productions

 $\subset 4^r \quad 6^r \quad 8^{r^2} \quad 11^r \quad 12^r \quad 14^r \quad 16^r \quad 18^r \quad 20^{r^2} \quad 23^r \quad 24^r$

24. Lr1 State's Follow sets and reducing lookahead sets.

Notes on Follow set expressions:

1) The "follow set" for rule uses its literal name and tags its grammar rule rank number as a superscript. Due to space limitations, part of the follow set information uses the rule's literal name while the follow set expressions refers to the rule's rank number. This < rule name, rule rank number > tupple allows you the reader to decifer the expressions. Transitions are represented by $S_x R_z$ whereby $S_x R_z$ whereby $S_x R_z$ is the LR1 state identified by its "x" subscript where other transient calculations occur within the LR1 state network. R indicates the follow set rule with the subscript "z" as its grammar rank number that contributes to the follow set.

The \nearrow^x symbol indicates that a merge into state "x" has taken place. That is, the reduced subrule that depends on this follow set finds its follow set in 2 places: its birthing state that generated the sequence up to the merged into state, and the birthing state that generated the "merged into" state. So the rule's "follow set" calculation must also continue its calculation within the birth state generating the "x merged into" state.

State: 1 \leftarrow Follow set Rlr1_br1 ¹ Local follow set	Rule	Set contributors, men $\rightarrow \leftarrow$		\rightarrow
$ \begin{array}{l} \text{eolr.} \\ \leftarrow \text{ Follow set} \\ \text{RE}^2 \\ \text{Local follow set} \end{array} $		$\begin{array}{c} \rightarrow \leftarrow \\ R_{1 \cdot 1 \cdot 1} \end{array}$	follow set symbols contributors -	\rightarrow
$ \begin{array}{l} eog. \\ \leftarrow & \texttt{Follow set} \\ RA^3 \\ Local & follow set \end{array} $	Rule	$\begin{array}{c} \rightarrow \leftarrow \\ R_{2\cdot 1\cdot 1} \nearrow_{10} \end{array}$	follow set symbols contributors -	\rightarrow
a. \leftarrow Follow set RB^4 Local follow set	Rule	$\begin{array}{c} \rightarrow \leftarrow \\ R_221 \nearrow_{10} \end{array}$	follow set symbols contributors -	\rightarrow
b.		Set contributors, me	eges and transitions	
← Follow set RA ³ Local follow set b.	Rule			\rightarrow
$ \leftarrow $		$\begin{array}{c} \rightarrow \leftarrow \\ R_{2\cdot 4\cdot 2} \nearrow^{22} \end{array}$	follow set symbols contributors -	\rightarrow
State: 10 \leftarrow Follow set RA ³ Local follow set	Rule		erges, and transitions follow set symbols contributors -	\rightarrow
$ \leftarrow \mbox{ Follow set} \\ RB^4 \\ Local \mbox{ follow set} $		$ \rightarrow \leftarrow R_{4 \cdot 1 \cdot 4} S_1 R_4 $	follow set symbols contributors -	\rightarrow

- 25. Common Follow sets.
- 26. LA set: 1.

eog.

27. LA set: 2.

a.

28. LA set: 3.

b.

29. LA set: 4.

eolr.

 $\S 30$ lr1_br1_idx.w INDEX 7

30. Index.

```
\begin{array}{llll} & R_1 --- & Rlr1\_br1: & 19. \\ & R_2 --- & RE: & 20. \\ & R_3 --- & RA: & 21. \\ & R_4 --- & RB: & 22. \\ & RA: & 16. \\ & RB: & 17. \\ & RE: & 15. \\ & & Rlr1\_br1: & 14. \\ \end{array}
```

lr1_br1_idx.w

Date: September 16, 2014 at 14:59

File: lr1_br1_idx.w

	Section	Page
Grammar symbols: Used cross reference	1	1
RA:		1
RB:	3	1
RE:	4	1
a:	5	1
b:	6	1
eog:	7	1
q:	8	1
u:		1
X:	10	1
y:	11	1
z:		1
Grammar Rules's First Sets	13	2
$Rlr1_br1 \# \text{ in set: } 2 \dots$		2
RE # in set: 2		2
RA # in set: 1		2
RB # in set: 1		2
LR State Network	18	2
Rlr1_br1		2
RE	20	2
RA		3
RB	22	3
List of reducing states	23	3
Lr1 State's Follow sets and reducing lookahead sets	24	4
Common Follow sets		6
LA set: 1		6
LA set: 2		6
LA set: 3		6
LA set: 4		6
Index	30	7