

1. Grammar symbols: Used cross reference.

Reference of each grammar's symbol used within each rule's productions. The index uses the tripple: rule name, its subrule no, and the symbol's position within the symbol string.

2. RA1:.

RAab 1.1 RAba 1.1

3. RA2:.

RAab 2.1 RAba 2.1

4. RAab:.

RAabBab 1.1 RAabBba 1.1

5. RAabBab:.

Rlr1_tst 1.2

6. RAabBba:.

Rlr1_tst 3.2

7. RAba:.

RAbaBab 1.1 RAbaBba 1.1

8. RAbaBab:.

Rlr1_tst 2.2

9. RAbaBba:.

Rlr1_tst 4.2

10. RB1:.

RBab 1.1 RBba 1.1

11. RB2:.

RBab 2.1 RBba 2.1

12. RBab:.

RAabBab 2.1 RAbaBab 2.1

13. RBba:.

RAabBba 2.1 RAbaBba 2.1

14. a.:

RAab 1.2 RAba 2.2 RBab 1.2 RBba 2.2 RA1 1.1 RA2 1.1

15. b.:

RAab 2.2 RAba 1.2 RBab 2.2 RBba 1.2 RB1 1.1 RB2 1.1

16. eog.:

Rlr1_tst 1.3 Rlr1_tst 2.3 Rlr1_tst 3.3 Rlr1_tst 4.3

17. m.:

RAabBab 1.2 RAbaBab 1.2 RAabBba 1.2 RAbaBba 1.2

18. n.:

RAabBab 2.2 RAbaBab 2.2 RAabBba 2.2 RAbaBba 2.2

19. u.:

Rlr1_tst 1.1

20. v.:

Rlr1_tst 2.1

21. w.:

Rlr1_tst 3.1

22. x.:

Rlr1_tst 4.1

23. Grammar Rules's First Sets.**24. $Rlr1_tst \#$ in set: 4.**

u v w x

25. $RAabBab \#$ in set: 2.

a b

26. $RAbaBab \#$ in set: 2.

a b

27. $RAabBba \#$ in set: 2.

a b

28. $RAbaBba \#$ in set: 2.

a b

29. $RAab \#$ in set: 1.

a

30. $RAba \#$ in set: 1.

a

31. $RBab \#$ in set: 1.

b

32. $RBba \#$ in set: 1.

b

33. $RA1 \#$ in set: 1.

a

34. $RA2 \#$ in set: 1.

a

35. $RB1 \#$ in set: 1.

b

36. $RB2 \#$ in set: 1.

b

37. LR State Network.

List of productions with their derived LR state lists. Their subrule number and symbol string indicates the specific production being derived. The “▷” symbol indicates the production’s list of derived states from its closed state. Multiple lists within a production indicate 1 of 2 things:

1) derived string that could not be merged due to a lr(1) conflict

2) partially derived string merged into another derived lr states

A partially derived string is indicated by the “merged into” symbol \nearrow used as a superscript along with the merged into state number.

38. Rlr1_tst.

1 u RAabBab eog
 ▷ 1 2 3 4
 2 v RAbaBab eog
 ▷ 1 5 6 7
 3 w RAabBba eog
 ▷ 1 8 9 10
 4 x RAbaBba eog
 ▷ 1 11 12 13

39. RAabBab.

1 RAab m
 ▷ 2 16 17
 2 RBab n
 ▷ 2 18 19

40. RAbaBab.

1 RAba m
 ▷ 5 29 30
 2 RBab n
 ▷ 5 31 32

41. RAabBba.

1 RAab m
 ▷ 8 38 39
 2 RBba n
 ▷ 8 40 41

42. RAbaBba.

1 RAba m
 ▷ 11 46 47
 2 RBba n
 ▷ 11 48 49

43. RAab.

1 RA1 a
 ▷ 2 20 21
 ▷ 8^{↗20}
 2 RA2 b
 ▷ 2 22 23
 ▷ 8^{↗22}

44. RAba.

- 1 RA1 b
 - ▷ 5 33 34
 - ▷ 11^{↗33}
- 2 RA2 a
 - ▷ 5 35 36
 - ▷ 11^{↗35}

45. RBab.

- 1 RB1 a
 - ▷ 2 24 25
 - ▷ 5^{↗24}
- 2 RB2 b
 - ▷ 2 26 27
 - ▷ 5^{↗26}

46. RBba.

- 1 RB1 b
 - ▷ 8 42 43
 - ▷ 11^{↗42}
- 2 RB2 a
 - ▷ 8 44 45
 - ▷ 11^{↗44}

47. RA1.

- 1 a
 - ▷ 2 14
 - ▷ 5 28
 - ▷ 8^{↗14}
 - ▷ 11^{↗28}

48. RA2.

- 1 a
 - ▷ 2 14
 - ▷ 5 28
 - ▷ 8^{↗14}
 - ▷ 11^{↗28}

49. RB1.

- 1 b
 - ▷ 2 15
 - ▷ 5^{↗15}
 - ▷ 8 37
 - ▷ 11^{↗37}

50. RB2.

1 b

▷ 2 15

▷ 5^{↗15}

▷ 8 37

▷ 11^{↗37}**51. List of reducing states.**

The following legend indicates the type of reducing state.

Points 2–4 are states that must meet the lr(1) condition:

- 1) r — only 1 production reducing
- 2) r^2 — 2 or more reducing productions
- 3) s/r — shift and 1 reducing production
- 4) s/r^2 — shift and multiple reducing productions

\subset 4^r 7^r 10^r 13^r 14^{r^2} 15^{r^2} 17^r 19^r 21^r 23^r 25^r 27^r 28^{r^2} 30^r 32^r 34^r 36^r 37^{r^2}
 39^r 41^r 43^r 45^r 47^r 49^r

52. Lr1 State's Follow sets and reducing lookahead sets.

Notes on Follow set expressions:

1) The “follow set” for rule uses its literal name and tags its grammar rule rank number as a superscript. Due to space limitations, part of the follow set information uses the rule's literal name while the follow set expressions refers to the rule's rank number. This $\langle \text{rule name, rule rank number} \rangle$ tuple allows you the reader to decipher the expressions. Transitions are represented by S_xR_z whereby S is the LR1 state identified by its “x” subscript where other transient calculations occur within the LR1 state network. R indicates the follow set rule with the subscript “z” as its grammar rank number that contributes to the follow set.

The \nearrow^x symbol indicates that a merge into state “x” has taken place. That is, the reduced subrule that depends on this follow set finds its follow set in 2 places: its birthing state that generated the sequence up to the merged into state, and the birthing state that generated the “merged into” state. So the rule's “follow set” calculation must also continue its calculation within the birth state generating the “x merged into” state.

State: 1	Follow Set contributors, merges, and transitions		
← Follow set Rule	→ ←	follow set symbols contributors	→
Rlr1_tst ¹			
Local follow set yield:			
eolr.			
State: 2	Follow Set contributors, merges, and transitions		
← Follow set Rule	→ ←	follow set symbols contributors	→
RAabBab ²	R _{1.1.2}		
Local follow set yield:			
eog.			
← Follow set Rule	→ ←	follow set symbols contributors	→
RAab ⁶	R _{2.1.1} \nearrow^8		
Local follow set yield:			
m.			
← Follow set Rule	→ ←	follow set symbols contributors	→
RBab ⁸	R _{2.2.1} \nearrow^5		
Local follow set yield:			
n.			
← Follow set Rule	→ ←	follow set symbols contributors	→
RA1 ¹⁰	R _{6.1.1} \nearrow^8		
Local follow set yield:			
a.			
← Follow set Rule	→ ←	follow set symbols contributors	→
RA2 ¹¹	R _{6.2.1} \nearrow^8		
Local follow set yield:			
b.			
← Follow set Rule	→ ←	follow set symbols contributors	→
RB1 ¹²	R _{8.1.1} \nearrow^5		
Local follow set yield:			
a.			
← Follow set Rule	→ ←	follow set symbols contributors	→
RB2 ¹³	R _{8.2.1} \nearrow^5		
Local follow set yield:			
b.			

State: 5 Follow Set contributors, merges, and transitions

← Follow set Rule → ← follow set symbols contributors →
 RAbaBab³ R_{1.2.2}

Local follow set yield:
 eog.

← Follow set Rule → ← follow set symbols contributors →
 RAba⁷ R_{3.1.1} ↗¹¹

Local follow set yield:
 m.

← Follow set Rule → ← follow set symbols contributors →
 RBab⁸ R_{3.2.1}

Local follow set yield:
 n.

← Follow set Rule → ← follow set symbols contributors →
 RA1¹⁰ R_{7.1.1} ↗¹¹

Local follow set yield:
 b.

← Follow set Rule → ← follow set symbols contributors →
 RA2¹¹ R_{7.2.1} ↗¹¹

Local follow set yield:
 a.

← Follow set Rule → ← follow set symbols contributors →
 RB1¹² R_{8.1.1}

Local follow set yield:
 a.

← Follow set Rule → ← follow set symbols contributors →
 RB2¹³ R_{8.2.1}

Local follow set yield:
 b.

State: 8 Follow Set contributors, merges, and transitions

← Follow set Rule → ← follow set symbols contributors →
 RAabBba⁴ R_{1.3.2}

Local follow set yield:
 eog.

← Follow set Rule → ← follow set symbols contributors →
 RAab⁶ R_{4.1.1}

Local follow set yield:
 m.

← Follow set Rule → ← follow set symbols contributors →
 RBba⁹ R_{4.2.1} ↗¹¹

Local follow set yield:
 n.

← Follow set Rule → ← follow set symbols contributors →
 RA1¹⁰ R_{6.1.1}

Local follow set yield:
 a.

← Follow set Rule → ← follow set symbols contributors →
 RA2¹¹ R_{6.2.1}

Local follow set yield:
 b.

← Follow set Rule RB1 ¹²	→ ← R _{9.1.1} ↗ ¹¹	follow set symbols contributors	→
Local follow set yield: b.			
← Follow set Rule RB2 ¹³	→ ← R _{9.2.1} ↗ ¹¹	follow set symbols contributors	→
Local follow set yield: a.			
State: 11 Follow Set contributors, merges, and transitions			
← Follow set Rule RAbaBba ⁵	→ ← R _{1.4.2}	follow set symbols contributors	→
Local follow set yield: eog.			
← Follow set Rule RAba ⁷	→ ← R _{5.1.1}	follow set symbols contributors	→
Local follow set yield: m.			
← Follow set Rule RBba ⁹	→ ← R _{5.2.1}	follow set symbols contributors	→
Local follow set yield: n.			
← Follow set Rule RA1 ¹⁰	→ ← R _{7.1.1}	follow set symbols contributors	→
Local follow set yield: b.			
← Follow set Rule RA2 ¹¹	→ ← R _{7.2.1}	follow set symbols contributors	→
Local follow set yield: a.			
← Follow set Rule RB1 ¹²	→ ← R _{9.1.1}	follow set symbols contributors	→
Local follow set yield: b.			
← Follow set Rule RB2 ¹³	→ ← R _{9.2.1}	follow set symbols contributors	→
Local follow set yield: a.			

53. Common Follow sets.

54. LA set: 1.

eolr.

55. LA set: 2.

a.

56. LA set: 3.

b.

57. LA set: 4.

eog.

58. LA set: 5.

m.

59. LA set: 6.

n.

60. Index.

R₁ --- Rlr1_tst: 38.
R₁₀ --- RA1: 47.
R₁₁ --- RA2: 48.
R₁₂ --- RB1: 49.
R₁₃ --- RB2: 50.
R₂ --- RAabBab: 39.
R₃ --- RAbaBab: 40.
R₄ --- RAabBba: 41.
R₅ --- RAbaBba: 42.
R₆ --- RAab: 43.
R₇ --- RAba: 44.
R₈ --- RBab: 45.
R₉ --- RBba: 46.
RAab: 29.
RAabBab: 25.
RAabBba: 27.
RAba: 30.
RAbaBab: 26.
RAbaBba: 28.
RA1: 33.
RA2: 34.
RBab: 31.
RBba: 32.
RB1: 35.
RB2: 36.
Rlr1_tst: 24.

lr1_tst_idx.w

Date: September 16, 2014 at 15:02

File: lr1_tst_idx.w

	Section	Page
Grammar symbols: Used cross reference	1	1
RA1:	2	1
RA2:	3	1
RAab:	4	1
RAabBab:	5	1
RAabBba:	6	1
RAba:	7	1
RAbaBab:	8	1
RAbaBba:	9	1
RB1:	10	1
RB2:	11	1
RBab:	12	1
RBba:	13	1
a:	14	2
b:	15	2
eog:	16	2
m:	17	2
n:	18	2
u:	19	2
v:	20	2
w:	21	2
x:	22	2

Grammar Rules's First Sets	23	3
<i>Rlr1_tst</i> # in set: 4	24	3
<i>RAabBab</i> # in set: 2	25	3
<i>RAbaBab</i> # in set: 2	26	3
<i>RAabBba</i> # in set: 2	27	3
<i>RAbaBba</i> # in set: 2	28	3
<i>RAab</i> # in set: 1	29	3
<i>RAba</i> # in set: 1	30	3
<i>RBab</i> # in set: 1	31	3
<i>RBba</i> # in set: 1	32	3
RA1 # in set: 1	33	3
RA2 # in set: 1	34	3
RB1 # in set: 1	35	3
RB2 # in set: 1	36	3
LR State Network	37	3
Rlr1_tst	38	4
RAabBab	39	4
RAbaBab	40	4
RAabBba	41	4
RAbaBba	42	4
RAab	43	4
RAba	44	5
RBab	45	5
RBba	46	5
RA1	47	5
RA2	48	5
RB1	49	5
RB2	50	6
List of reducing states	51	6
Lr1 State's Follow sets and reducing lookahead sets	52	7
Common Follow sets	53	10
LA set: 1	54	10
LA set: 2	55	10
LA set: 3	56	10
LA set: 4	57	10
LA set: 5	58	10
LA set: 6	59	10
Index	60	11