

group_radius Module

Juha Heinanen
Song Networks

Jan Janak
FhG FOKUS

Edited by
Jan Janak

group_radius Module

Edited by Juha Heinanen, and Jan Janak, and Jan Janak

Copyright © 2003 FhG FOKUS

Revision History

Revision \$Revision: 1.1 \$ \$Date: 2003/07/15 08:08:41 \$

Table of Contents

1. User's Guide	1
1.1. Overview	1
1.2. Dependencies	1
1.2.1. SER Modules	1
1.2.2. External Libraries or Applications.....	1
1.3. Exported Parameters.....	1
1.3.1. <code>radius_config</code> (string)	1
1.3.2. <code>use_domain</code> (integer)	1
1.4. Exported Functions	2
1.4.1. <code>radius_is_user_in(URI, group)</code>	2
2. Developer's Guide	3
3. Frequently Asked Questions	4

List of Examples

1-1. Set radius_config parameter	1
1-2. Set use_domain parameter	2
1-3. radius_is_user_in usage	2

Chapter 1. User’s Guide

1.1. Overview

This module export functions necessary for group membership checking over radius. There is a database table that contains list of users and groups they belong to. The table is used by functions of this module.

1.2. Dependencies

1.2.1. SER Modules

The following modules must be loaded before this module:

- None.

1.2.2. External Libraries or Applications

The following libraries or applications must be installed before running SER with this module loaded:

- *radiusclient library*.

1.3. Exported Parameters

1.3.1. `radius_config` (string)

Location of the configuration file of the radius client library.

Default value is “/usr/local/etc/radiusclient/radiusclient.conf”.

Example 1-1. Set `radius_config` parameter

```
...
modparam( "group", "radius_config", "/etc/radiusclient.conf" )
...
```

1.3.2. `use_domain` (integer)

If set to 1 then `username@domain` will be used for lookup, if set to 0 then only `username` will be used.

Default value is 0 (no).

Example 1-2. Set `use_domain` parameter

```
...
modparam("group_radius", "use_domain", 1)
...
```

1.4. Exported Functions

1.4.1. `radius_is_user_in(URI, group)`

The function returns true if `username` in the given `URI` is member of the given `group` and false if not.

Meaning of the parameters is as follows:

- *URI* - `URI` whose `username` and optionally `domain` to be used, this can be one of:
 - Request-`URI` - Use Request-`URI` `username` and (optionally) `domain`.
 - To - Use `To` `username` and (optionally) `domain`.
 - From - Use `From` `username` and (optionally) `domain`.
 - Credentials - Use digest credentials `username`.
- *group* - Name of the `group` to check.

Example 1-3. `radius_is_user_in` usage

```
...
if (radius_is_user_in("Request-URI", "ld")) {
  ...
};
```

Chapter 2. Developer's Guide

The module does not provide any sort of API to use in other SER modules.

Chapter 3. Frequently Asked Questions

1. Where can I find more about SER?

Take a look at <http://iptel.org/ser>.

2. Where can I post a question about this module?

First at all check if your question was already answered on one of our mailing lists:

- <http://mail.iptel.org/mailman/listinfo/serusers>
- <http://mail.iptel.org/mailman/listinfo/serdev>

E-mails regarding any stable version should be sent to <serusers@iptel.org> and e-mail regarding development versions or CVS snapshots should be send to <serdev@iptel.org>.

If you want to keep the mail private, send it to <serhelp@iptel.org>.

3. How can I report a bug?

Please follow the guidelines provided at: <http://iptel.org/ser/bugs>