

# **pa Module**

**Jan Janak**  
**FhG FOKUS**

Edited by  
**Jan Janak**

**pa Module**

Edited by and Jan Janak and Jan Janak

Copyright © 2003 FhG FOKUS

Revision History

Revision \$Revision: 1.1 \$ \$Date: 2003/07/16 16:38:18 \$

# Table of Contents

<b>1. User's Guide .....</b>	<b>1</b>
1.1. Overview .....	1
1.2. Dependencies .....	1
1.2.1. SER Modules .....	1
1.2.2. External Libraries or Applications.....	1
1.3. Exported Parameters.....	1
1.3.1. default_expires (integer) .....	1
1.4. Exported Functions .....	2
1.4.1. handle_subscription(domain) .....	2
<b>2. Developer's Guide .....</b>	<b>3</b>
<b>3. Frequently Asked Questions .....</b>	<b>4</b>

# List of Examples

1-1. Set default_expires parameter.....	1
1-2. handle_subscription usage .....	2

# Chapter 1. User’s Guide

## 1.1. Overview

This module implements a presence server, i.e. entity that receives SUBSCRIBE messages and sends NOTIFY when presence status of a user changes. Currently the presence server can be connected to registrar and jabber module so SIP users can see presence of jabber users.

This module currently cannot work as a B2BUA, i.e. it cannot subscribe to presence of users using SIP. We are currently working on that feature.

## 1.2. Dependencies

### 1.2.1. SER Modules

The following modules must be loaded before this module:

- *No dependencies on other SER modules.*

### 1.2.2. External Libraries or Applications

The following libraries or applications must be installed before running SER with this module loaded:

- *None.*

## 1.3. Exported Parameters

### 1.3.1. `default_expires` (integer)

Default expires value to be used when the client doesn’t supply one (in seconds).

*Default value is “3600”.*

#### Example 1-1. Set `default_expires` parameter

```
...
modparam("pa", "default_expires", 3600)
```

...

## 1.4. Exported Functions

### 1.4.1. `handle_subscription(domain)`

This function processes SUBSCRIBE and generates NOTIFY.

Meaning of the parameters is as follows:

- *domain* - This can be either “registar” or “jabber”.

#### Example 1-2. `handle_subscription` usage

```
...
handle_subscription( "jabber" );
...
```

## **Chapter 2. Developer's Guide**

The module does not provide any sort of API to use in other SER modules.

# **Chapter 3. Frequently Asked Questions**

## **1. Where can I find more about SER?**

Take a look at <http://iptel.org/ser>.

## **2. Where can I post a question about this module?**

First at all check if your question was already answered on one of our mailing lists:

- <http://mail.iptel.org/mailman/listinfo/serusers>
- <http://mail.iptel.org/mailman/listinfo/serdev>

E-mails regarding any stable version should be sent to <[serusers@iptel.org](mailto:serusers@iptel.org)> and e-mail regarding development versions or CVS snapshots should be send to <[serdev@iptel.org](mailto:serdev@iptel.org)>.

If you want to keep the mail private, send it to <[serhelp@iptel.org](mailto:serhelp@iptel.org)>.

## **3. How can I report a bug?**

Please follow the guidelines provided at: <http://iptel.org/ser/bugs>